


		TEMPERATURE IN DEGREES CENTIGRADE										
		STEEL BEAM										
TIME MINS	LOWER			WEB			UPPER					
	(S) FLANGE(N)						(S) FLANGE (N)					
	287			288			289					
0.0	*	28	*	*	28	*	*	*	*	28	*	*
0.5	*	28	*	*	28	*	*	*	*	28	*	*
1.0	*	28	*	*	28	*	*	*	*	28	*	*
1.5	*	28	*	*	28	*	*	*	*	28	*	*
2.0	*	28	*	*	28	*	*	*	*	28	*	*
2.5	*	28	*	*	28	*	*	*	*	28	*	*
3.0	*	28	*	*	28	*	*	*	*	28	*	*
3.5	*	28	*	*	28	*	*	*	*	28	*	*
4.0	*	28	*	*	28	*	*	*	*	28	*	*
4.5	*	28	*	*	28	*	*	*	*	28	*	*
5.0	*	28	*	*	28	*	*	*	*	28	*	*
5.5	*	28	*	*	28	*	*	*	*	28	*	*
6.0	*	28	*	*	28	*	*	*	*	28	*	*
6.5	*	28	*	*	28	*	*	*	*	28	*	*
7.0	*	28	*	*	28	*	*	*	*	28	*	*
7.5	*	28	*	*	28	*	*	*	*	28	*	*
8.0	*	28	*	*	28	*	*	*	*	28	*	*
8.5	*	28	*	*	28	*	*	*	*	28	*	*
9.0	*	28	*	*	28	*	*	*	*	28	*	*
9.5	*	28	*	*	28	*	*	*	*	28	*	*
10.0	*	28	*	*	28	*	*	*	*	28	*	*
10.5	*	28	*	*	28	*	*	*	*	28	*	*
11.0	*	28	*	*	28	*	*	*	*	28	*	*
11.5	*	28	*	*	28	*	*	*	*	28	*	*
12.0	*	28	*	*	28	*	*	*	*	28	*	*
12.5	*	28	*	*	28	*	*	*	*	28	*	*
13.0	*	28	*	*	28	*	*	*	*	28	*	*
13.5	*	28	*	*	28	*	*	*	*	28	*	*
14.0	*	28	*	*	28	*	*	*	*	28	*	*
14.5	*	28	*	*	28	*	*	*	*	28	*	*
15.0	*	28	*	*	28	*	*	*	*	28	*	*
15.5	*	28	*	*	28	*	*	*	*	28	*	*
16.0	*	28	*	*	28	*	*	*	*	28	*	*
16.5	*	28	*	*	30	*	*	*	*	28	*	*
17.0	*	31	*	*	35	*	*	*	*	31	*	*
17.5	*	35	*	*	41	*	*	*	*	34	*	*
18.0	*	40	*	*	47	*	*	*	*	37	*	*
18.5	*	46	*	*	54	*	*	*	*	42	*	*
19.0	*	52	*	*	60	*	*	*	*	46	*	*
19.5	*	59	*	*	67	*	*	*	*	51	*	*
20.0	*	65	*	*	76	*	*	*	*	56	*	*
20.5	*	73	*	*	86	*	*	*	*	61	*	*
21.0	*	83	*	*	96	*	*	*	*	66	*	*
21.5	*	93	*	*	106	*	*	*	*	70	*	*
22.0	*	104	*	*	116	*	*	*	*	76	*	*
22.5	*	115	*	*	128	*	*	*	*	82	*	*
23.0	*	127	*	*	139	*	*	*	*	89	*	*
23.5	*	139	*	*	150	*	*	*	*	95	*	*
24.0	*	151	*	*	159	*	*	*	*	101	*	*
24.5	*	163	*	*	169	*	*	*	*	107	*	*
25.0	*	175	*	*	180	*	*	*	*	114	*	*
25.5	*	187	*	*	190	*	*	*	*	120	*	*
26.0	*	199	*	*	201	*	*	*	*	127	*	*
26.5	*	210	*	*	210	*	*	*	*	133	*	*
27.0	*	222	*	*	220	*	*	*	*	140	*	*
27.5	*	233	*	*	229	*	*	*	*	146	*	*
28.0	*	243	*	*	237	*	*	*	*	152	*	*
28.5	*	253	*	*	246	*	*	*	*	159	*	*
29.0	*	264	*	*	254	*	*	*	*	166	*	*
29.5	*	274	*	*	264	*	*	*	*	173	*	*
30.0	*	283	*	*	272	*	*	*	*	179	*	*
30.5	*	292	*	*	280	*	*	*	*	186	*	*
31.0	*	301	*	*	288	*	*	*	*	192	*	*
31.5	*	309	*	*	295	*	*	*	*	199	*	*
32.0	*	316	*	*	301	*	*	*	*	204	*	*



\* Not Measured

Temperatures On Secondary Beam On Grid Line 2, Location C.

Table 28.1

32.5	*	324	*	*	308	*	*	*	211	*	*
33.0	*	331	*	*	314	*	*	*	216	*	*
33.5	*	339	*	*	321	*	*	*	221	*	*
34.0	*	345	*	*	326	*	*	*	226	*	*
34.5	*	350	*	*	330	*	*	*	231	*	*
35.0	*	354	*	*	331	*	*	*	235	*	*
35.5	*	357	*	*	333	*	*	*	238	*	*
36.0	*	361	*	*	337	*	*	*	242	*	*
36.5	*	365	*	*	341	*	*	*	247	*	*
37.0	*	369	*	*	345	*	*	*	251	*	*
37.5	*	373	*	*	349	*	*	*	255	*	*
38.0	*	377	*	*	353	*	*	*	260	*	*
38.5	*	381	*	*	356	*	*	*	264	*	*
39.0	*	384	*	*	360	*	*	*	268	*	*
39.5	*	388	*	*	364	*	*	*	272	*	*
40.0	*	391	*	*	368	*	*	*	276	*	*
40.5	*	395	*	*	373	*	*	*	280	*	*
41.0	*	399	*	*	377	*	*	*	284	*	*
41.5	*	403	*	*	382	*	*	*	289	*	*
42.0	*	407	*	*	388	*	*	*	294	*	*
42.5	*	412	*	*	395	*	*	*	299	*	*
43.0	*	418	*	*	402	*	*	*	304	*	*
43.5	*	424	*	*	408	*	*	*	309	*	*
44.0	*	428	*	*	414	*	*	*	314	*	*
44.5	*	433	*	*	420	*	*	*	319	*	*
45.0	*	438	*	*	424	*	*	*	323	*	*
45.5	*	442	*	*	429	*	*	*	328	*	*
46.0	*	447	*	*	434	*	*	*	333	*	*
46.5	*	452	*	*	441	*	*	*	338	*	*
47.0	*	457	*	*	447	*	*	*	343	*	*
47.5	*	463	*	*	454	*	*	*	348	*	*
48.0	*	470	*	*	463	*	*	*	355	*	*
48.5	*	478	*	*	474	*	*	*	362	*	*
49.0	*	488	*	*	487	*	*	*	370	*	*
49.5	*	499	*	*	501	*	*	*	379	*	*
50.0	*	510	*	*	514	*	*	*	388	*	*
50.5	*	521	*	*	527	*	*	*	398	*	*
51.0	*	532	*	*	539	*	*	*	407	*	*
51.5	*	544	*	*	552	*	*	*	418	*	*
52.0	*	554	*	*	563	*	*	*	427	*	*
52.5	*	566	*	*	575	*	*	*	437	*	*
53.0	*	576	*	*	585	*	*	*	447	*	*
53.5	*	584	*	*	592	*	*	*	455	*	*
54.0	*	592	*	*	599	*	*	*	464	*	*
54.5	*	599	*	*	604	*	*	*	471	*	*
55.0	*	604	*	*	608	*	*	*	478	*	*
55.5	*	608	*	*	610	*	*	*	484	*	*
56.0	*	611	*	*	611	*	*	*	489	*	*
56.5	*	614	*	*	614	*	*	*	495	*	*
57.0	*	617	*	*	618	*	*	*	501	*	*
57.5	*	621	*	*	621	*	*	*	506	*	*
58.0	*	625	*	*	626	*	*	*	512	*	*
58.5	*	630	*	*	632	*	*	*	518	*	*
59.0	*	636	*	*	639	*	*	*	525	*	*
59.5	*	642	*	*	646	*	*	*	531	*	*
60.0	*	649	*	*	653	*	*	*	538	*	*
60.5	*	656	*	*	661	*	*	*	546	*	*
61.0	*	668	*	*	676	*	*	*	557	*	*
61.5	*	682	*	*	692	*	*	*	568	*	*
62.0	*	696	*	*	706	*	*	*	580	*	*
62.5	*	710	*	*	719	*	*	*	591	*	*
63.0	*	723	*	*	729	*	*	*	603	*	*
63.5	*	730	*	*	736	*	*	*	616	*	*
64.0	*	737	*	*	747	*	*	*	629	*	*
64.5	*	750	*	*	758	*	*	*	641	*	*
65.0	*	765	*	*	772	*	*	*	652	*	*
65.5	*	784	*	*	789	*	*	*	666	*	*
66.0	*	801	*	*	803	*	*	*	677	*	*
66.5	*	817	*	*	817	*	*	*	688	*	*
67.0	*	836	*	*	833	*	*	*	700	*	*

Temperatures On Secondary Beam On Grid Line 2, Location C.

Table 28.1

67.5	*	858	*	*	849	*	*	*	*	712	*	*
68.0	*	876	*	*	864	*	*	*	*	723	*	*
68.5	*	893	*	*	880	*	*	*	*	734	*	*
69.0	*	906	*	*	891	*	*	*	*	743	*	*
69.5	*	920	*	*	903	*	*	*	*	753	*	*
70.0	*	930	*	*	913	*	*	*	*	763	*	*
70.5	*	939	*	*	921	*	*	*	*	773	*	*
71.0	*	948	*	*	929	*	*	*	*	785	*	*
71.5	*	954	*	*	933	*	*	*	*	795	*	*
72.0	*	961	*	*	939	*	*	*	*	806	*	*
72.5	*	967	*	*	944	*	*	*	*	816	*	*
73.0	*	972	*	*	949	*	*	*	*	825	*	*
73.5	*	978	*	*	954	*	*	*	*	836	*	*
74.0	*	981	*	*	957	*	*	*	*	845	*	*
74.5	*	983	*	*	959	*	*	*	*	854	*	*
75.0	*	985	*	*	962	*	*	*	*	863	*	*
75.5	*	986	*	*	964	*	*	*	*	870	*	*
76.0	*	988	*	*	966	*	*	*	*	877	*	*
76.5	*	989	*	*	965	*	*	*	*	882	*	*
77.0	*	987	*	*	964	*	*	*	*	886	*	*
77.5	*	986	*	*	962	*	*	*	*	890	*	*
78.0	*	986	*	*	961	*	*	*	*	892	*	*
78.5	*	983	*	*	958	*	*	*	*	894	*	*
79.0	*	981	*	*	956	*	*	*	*	895	*	*
79.5	*	979	*	*	955	*	*	*	*	895	*	*
80.0	*	977	*	*	954	*	*	*	*	896	*	*
80.5	*	975	*	*	954	*	*	*	*	896	*	*
81.0	*	973	*	*	951	*	*	*	*	896	*	*
81.5	*	971	*	*	948	*	*	*	*	896	*	*
82.0	*	968	*	*	945	*	*	*	*	894	*	*
82.5	*	964	*	*	942	*	*	*	*	893	*	*
83.0	*	961	*	*	939	*	*	*	*	892	*	*
83.5	*	957	*	*	935	*	*	*	*	890	*	*
84.0	*	954	*	*	932	*	*	*	*	889	*	*
84.5	*	951	*	*	929	*	*	*	*	887	*	*
85.0	*	948	*	*	925	*	*	*	*	886	*	*
85.5	*	945	*	*	922	*	*	*	*	884	*	*
86.0	*	942	*	*	920	*	*	*	*	882	*	*
86.5	*	938	*	*	915	*	*	*	*	880	*	*
87.0	*	935	*	*	912	*	*	*	*	877	*	*
87.5	*	931	*	*	907	*	*	*	*	874	*	*
88.0	*	926	*	*	903	*	*	*	*	871	*	*
88.5	*	922	*	*	898	*	*	*	*	868	*	*
89.0	*	916	*	*	892	*	*	*	*	864	*	*
89.5	*	911	*	*	887	*	*	*	*	860	*	*
90.0	*	905	*	*	881	*	*	*	*	856	*	*
90.5	*	899	*	*	875	*	*	*	*	852	*	*
91.0	*	893	*	*	869	*	*	*	*	847	*	*
91.5	*	887	*	*	862	*	*	*	*	842	*	*
92.0	*	880	*	*	856	*	*	*	*	837	*	*
92.5	*	873	*	*	849	*	*	*	*	831	*	*
93.0	*	866	*	*	842	*	*	*	*	826	*	*
93.5	*	859	*	*	835	*	*	*	*	820	*	*
94.0	*	852	*	*	827	*	*	*	*	814	*	*
94.5	*	844	*	*	819	*	*	*	*	808	*	*
95.0	*	836	*	*	811	*	*	*	*	802	*	*
95.5	*	828	*	*	803	*	*	*	*	795	*	*
96.0	*	819	*	*	795	*	*	*	*	789	*	*
96.5	*	812	*	*	787	*	*	*	*	782	*	*
97.0	*	804	*	*	780	*	*	*	*	776	*	*
97.5	*	797	*	*	773	*	*	*	*	770	*	*
98.0	*	789	*	*	767	*	*	*	*	765	*	*
98.5	*	782	*	*	761	*	*	*	*	761	*	*
99.0	*	775	*	*	756	*	*	*	*	757	*	*
99.5	*	769	*	*	752	*	*	*	*	753	*	*
100.0	*	763	*	*	747	*	*	*	*	748	*	*
100.5	*	758	*	*	743	*	*	*	*	745	*	*
101.0	*	754	*	*	738	*	*	*	*	740	*	*
101.5	*	750	*	*	734	*	*	*	*	737	*	*
102.0	*	746	*	*	729	*	*	*	*	732	*	*

**Temperatures On Secondary Beam On Grid Line 2, Location C.**

**Table 28.1**

102.5	*	742	*	*	724	*	*	*	*	728	*	*
103.0	*	738	*	*	719	*	*	*	*	724	*	*
103.5	*	734	*	*	714	*	*	*	*	719	*	*
104.0	*	730	*	*	709	*	*	*	*	715	*	*
104.5	*	726	*	*	704	*	*	*	*	711	*	*
105.0	*	722	*	*	698	*	*	*	*	707	*	*
105.5	*	717	*	*	693	*	*	*	*	703	*	*
106.0	*	713	*	*	688	*	*	*	*	698	*	*
106.5	*	708	*	*	683	*	*	*	*	694	*	*
107.0	*	704	*	*	677	*	*	*	*	689	*	*
107.5	*	700	*	*	672	*	*	*	*	685	*	*
108.0	*	695	*	*	667	*	*	*	*	680	*	*
108.5	*	691	*	*	662	*	*	*	*	676	*	*
109.0	*	686	*	*	657	*	*	*	*	671	*	*
109.5	*	681	*	*	655	*	*	*	*	667	*	*
110.0	*	677	*	*	653	*	*	*	*	663	*	*
110.5	*	672	*	*	651	*	*	*	*	659	*	*
111.0	*	667	*	*	648	*	*	*	*	655	*	*
111.5	*	663	*	*	643	*	*	*	*	653	*	*
112.0	*	659	*	*	638	*	*	*	*	651	*	*
112.5	*	656	*	*	632	*	*	*	*	649	*	*
113.0	*	653	*	*	627	*	*	*	*	647	*	*
113.5	*	652	*	*	622	*	*	*	*	643	*	*
114.0	*	650	*	*	617	*	*	*	*	639	*	*
114.5	*	648	*	*	613	*	*	*	*	635	*	*
115.0	*	644	*	*	608	*	*	*	*	631	*	*
115.5	*	639	*	*	604	*	*	*	*	626	*	*
116.0	*	634	*	*	600	*	*	*	*	622	*	*
116.5	*	628	*	*	595	*	*	*	*	617	*	*
117.0	*	623	*	*	592	*	*	*	*	612	*	*
117.5	*	618	*	*	587	*	*	*	*	607	*	*
118.0	*	613	*	*	583	*	*	*	*	603	*	*
118.5	*	607	*	*	579	*	*	*	*	599	*	*
119.0	*	603	*	*	576	*	*	*	*	594	*	*
119.5	*	598	*	*	572	*	*	*	*	590	*	*
120.0	*	593	*	*	568	*	*	*	*	586	*	*
120.5	*	589	*	*	564	*	*	*	*	582	*	*
121.0	*	585	*	*	560	*	*	*	*	577	*	*
121.5	*	580	*	*	556	*	*	*	*	574	*	*
122.0	*	576	*	*	553	*	*	*	*	570	*	*
122.5	*	572	*	*	549	*	*	*	*	566	*	*
123.0	*	569	*	*	546	*	*	*	*	562	*	*
123.5	*	565	*	*	542	*	*	*	*	559	*	*
124.0	*	561	*	*	539	*	*	*	*	555	*	*
124.5	*	557	*	*	535	*	*	*	*	552	*	*
125.0	*	554	*	*	532	*	*	*	*	548	*	*
125.5	*	550	*	*	529	*	*	*	*	545	*	*
126.0	*	547	*	*	525	*	*	*	*	541	*	*
126.5	*	543	*	*	522	*	*	*	*	537	*	*
127.0	*	540	*	*	518	*	*	*	*	535	*	*
127.5	*	537	*	*	516	*	*	*	*	531	*	*
128.0	*	533	*	*	512	*	*	*	*	528	*	*
128.5	*	530	*	*	509	*	*	*	*	525	*	*
129.0	*	527	*	*	506	*	*	*	*	522	*	*
129.5	*	524	*	*	503	*	*	*	*	519	*	*
130.0	*	521	*	*	501	*	*	*	*	516	*	*
130.5	*	517	*	*	498	*	*	*	*	513	*	*
131.0	*	515	*	*	495	*	*	*	*	510	*	*
131.5	*	511	*	*	492	*	*	*	*	507	*	*
132.0	*	509	*	*	488	*	*	*	*	504	*	*
132.5	*	505	*	*	486	*	*	*	*	501	*	*
133.0	*	502	*	*	482	*	*	*	*	498	*	*
133.5	*	499	*	*	480	*	*	*	*	495	*	*
134.0	*	496	*	*	476	*	*	*	*	493	*	*
134.5	*	493	*	*	473	*	*	*	*	490	*	*
135.0	*	489	*	*	470	*	*	*	*	487	*	*
135.5	*	486	*	*	467	*	*	*	*	484	*	*
136.0	*	483	*	*	465	*	*	*	*	481	*	*
136.5	*	480	*	*	462	*	*	*	*	479	*	*
137.0	*	477	*	*	459	*	*	*	*	476	*	*

Temperatures On Secondary Beam On Grid Line 2, Location C.

Table 28.1

137.5	*	474	*	*	456	*	*	*	*	474	*	*
138.0	*	471	*	*	454	*	*	*	*	471	*	*
138.5	*	468	*	*	450	*	*	*	*	468	*	*
139.0	*	465	*	*	448	*	*	*	*	466	*	*
139.5	*	462	*	*	446	*	*	*	*	463	*	*
140.0	*	460	*	*	443	*	*	*	*	461	*	*
140.5	*	457	*	*	440	*	*	*	*	458	*	*
141.0	*	453	*	*	437	*	*	*	*	456	*	*
141.5	*	450	*	*	435	*	*	*	*	453	*	*
142.0	*	448	*	*	432	*	*	*	*	451	*	*
142.5	*	445	*	*	429	*	*	*	*	448	*	*
143.0	*	442	*	*	427	*	*	*	*	446	*	*
143.5	*	439	*	*	424	*	*	*	*	443	*	*
144.0	*	436	*	*	421	*	*	*	*	441	*	*
144.5	*	433	*	*	419	*	*	*	*	438	*	*
145.0	*	431	*	*	416	*	*	*	*	435	*	*
145.5	*	428	*	*	414	*	*	*	*	433	*	*
146.0	*	425	*	*	411	*	*	*	*	431	*	*
146.5	*	422	*	*	409	*	*	*	*	428	*	*
147.0	*	420	*	*	406	*	*	*	*	425	*	*
147.5	*	417	*	*	403	*	*	*	*	423	*	*
148.0	*	414	*	*	401	*	*	*	*	421	*	*
148.5	*	412	*	*	398	*	*	*	*	418	*	*
149.0	*	409	*	*	396	*	*	*	*	416	*	*
149.5	*	406	*	*	393	*	*	*	*	414	*	*
150.0	*	404	*	*	391	*	*	*	*	411	*	*
150.5	*	401	*	*	389	*	*	*	*	409	*	*
151.0	*	399	*	*	386	*	*	*	*	407	*	*
151.5	*	396	*	*	384	*	*	*	*	404	*	*
152.0	*	393	*	*	382	*	*	*	*	402	*	*
152.5	*	391	*	*	379	*	*	*	*	400	*	*
153.0	*	388	*	*	377	*	*	*	*	397	*	*
153.5	*	386	*	*	374	*	*	*	*	395	*	*
154.0	*	383	*	*	372	*	*	*	*	393	*	*
154.5	*	381	*	*	370	*	*	*	*	390	*	*
155.0	*	378	*	*	367	*	*	*	*	388	*	*
155.5	*	375	*	*	365	*	*	*	*	386	*	*
161.0	*	349	*	*	341	*	*	*	*	363	*	*
171.0	*	305	*	*	302	*	*	*	*	324	*	*
181.0	*	266	*	*	269	*	*	*	*	292	*	*
191.0	*	234	*	*	242	*	*	*	*	265	*	*
201.0	*	208	*	*	220	*	*	*	*	242	*	*
211.0	*	188	*	*	201	*	*	*	*	222	*	*
747.5	*	43	*	*	45	*	*	*	*	46	*	*
757.5	*	43	*	*	45	*	*	*	*	46	*	*
767.5	*	42	*	*	44	*	*	*	*	45	*	*
777.5	*	42	*	*	44	*	*	*	*	45	*	*
787.5	*	42	*	*	43	*	*	*	*	44	*	*
797.5	*	42	*	*	43	*	*	*	*	44	*	*
807.5	*	41	*	*	43	*	*	*	*	43	*	*
817.5	*	41	*	*	42	*	*	*	*	43	*	*

Temperatures On Secondary Beam On Grid Line 2, Location C.

Table 28.1

