


TIME MINS	STRAIN IN MICRO STRAIN			
	NORTH FLANGE		SOUTH FLANGE	
	69	70	71	72
0.0	1	1	-7	-5
1.0	1	1	-12	-5
2.0	1	1	-17	-23
3.0	1	1	-16	-14
4.0	1	1	-17	-11
5.0	1	1	-11	-14
6.0	1	1	-26	-20
7.0	0	1	-23	-22
8.0	1	1	-25	-18
9.0	1	1	-17	-10
10.0	1	1	-18	-17
11.0	1	1	-20	-18
12.0	1	1	-18	-16
13.0	1	1	-12	-10
14.0	1	1	-10	-8
15.0	1	1	-15	-13
16.0	1	1	-19	-17
17.0	1	1	-21	-19
18.0	1	1	-21	-18
19.0	1	2	-14	-15
20.0	0	1	-13	-11
21.0	-1	1	-16	-14
22.0	-3	1	-14	-3
23.0	-4	1	-14	3
24.0	-7	0	-8	8
25.0	-10	-1	-10	9
26.0	-13	-2	-10	10
27.0	-15	-3	-10	16
28.0	-18	-4	0	23
29.0	-20	-5	11	29
30.0	-21	-5	19	44
31.0	-23	-4	5	39
32.0	-25	-3	16	49
33.0	-27	-2	11	47
34.0	-28	0	0	42
35.0	-30	1	1	35
36.0	-31	2	1	47
37.0	-33	3	12	54
38.0	-35	4	6	50
39.0	-36	6	-6	48
40.0	-38	7	-6	47
41.0	-39	8	-7	52
42.0	-41	9	-2	60
43.0	-43	10	2	68
44.0	-46	11	1	66
45.0	-49	13	2	73
46.0	-51	14	6	74
47.0	-54	14	6	75
48.0	-55	15	6	77
49.0	-57	16	8	81
50.0	-60	17	8	85
51.0	-63	17	12	82
52.0	-65	16	15	87
53.0	-67	14	19	91
54.0	-68	13	18	92
55.0	-69	12	18	87
56.0	-70	11	17	86
57.0	-70	10	19	91
58.0	-70	10	23	92
59.0	-70	10	21	93
60.0	-71	11	20	93
61.0	-71	11	15	93
62.0	-72	11	19	97
63.0	-72	11	26	101
64.0	-73	12	25	101
65.0	-73	13	18	101



1 Not Recorded

Column 1F , 300 mm Above Ground Floor Slab .

Table 2.1

66.0	-73	15	17	104
67.0	-73	18	13	104
68.0	-73	21	17	102
69.0	-74	24	18	110
70.0	-75	27	16	110
71.0	-75	29	13	112
72.0	-75	31	12	118
73.0	-76	33	8	120
74.0	-77	36	16	126
75.0	-77	38	16	129
76.0	-78	41	18	136
77.0	-79	44	17	143
78.0	-80	47	13	147
79.0	-81	51	6	151
80.0	-82	54	12	155
81.0	-83	56	12	157
82.0	-84	59	-2	161
83.0	-85	62	3	162
84.0	-86	65	-2	161
85.0	-87	67	1	168
86.0	-88	69	1	171
87.0	-89	71	0	174
88.0	-90	73	-2	175
89.0	-92	75	1	180
90.0	-93	77	0	183
91.0	-95	80	-1	184
92.0	-96	82	1	188
93.0	-98	84	2	191
94.0	-99	86	1	191
95.0	-100	87	0	193
96.0	-101	89	-1	194
97.0	-102	91	-1	196
98.0	-103	92	-2	196
99.0	-104	95	0	198
100.0	-105	96	1	202
101.0	-107	97	8	201
102.0	-107	99	-2	201
103.0	-109	100	-1	202
104.0	-109	101	-1	202
105.0	-110	102	-1	203
106.0	-110	103	-1	203
107.0	-111	104	-2	204
108.0	-111	105	-2	203
109.0	-111	106	-2	204
110.0	-111	106	0	205
111.0	-112	107	1	206
112.0	-112	107	-1	205
113.0	-111	108	2	208
114.0	-111	108	0	206
115.0	-112	108	1	205
116.0	-111	108	2	206
117.0	-111	109	0	204
118.0	-111	109	1	204
119.0	-111	109	1	203
120.0	-111	109	1	203
120.0	-111	109	1	203
121.0	-111	109	1	202
122.0	-111	109	1	201
123.0	-111	110	1	202
124.0	-110	109	2	201
125.0	-110	109	4	201
126.0	-110	110	3	200
127.0	-109	109	5	198
128.0	-109	109	2	196
129.0	-109	109	-5	191
130.0	-108	109	-10	188
131.0	-108	109	-11	185
132.0	-107	109	-11	182
133.0	-107	109	-13	181
134.0	-107	109	-13	180

Column 1F , 300 mm Above Ground Floor Slab .

Table 2.1

135.0	-106	108	-12	180
136.0	-106	108	-12	178
137.0	-105	108	-14	175
138.0	-105	108	-15	173
139.0	-104	108	-15	172
140.0	-104	107	-16	171
141.0	-103	107	-14	170
142.0	-102	107	-15	168
143.0	-102	106	-15	166
144.0	-101	106	-15	166
158.0	1	1	-1	149
168.0	-84	95	1	138
178.0	-75	90	-2	121
188.0	-66	86	-7	101
198.0	-57	83	-12	82
208.0	-48	78	-17	65
218.0	-40	75	-19	51
228.0	-32	73	-30	30
238.0	-26	71	-38	15
248.0	-20	68	-41	6
258.0	-15	66	-40	1
268.0	-11	64	-40	-4
278.0	-6	62	-39	-8
288.0	-2	61	-38	-11
298.0	1	59	-41	-18
308.0	4	58	-42	-24
318.0	7	56	-46	-30
328.0	9	55	-46	-33
338.0	11	54	-47	-38
348.0	13	53	-48	-40
358.0	14	52	-47	-41
368.0	16	51	-45	-42
378.0	17	49	-45	-43
388.0	19	48	-47	-48
398.0	20	48	-51	-54
408.0	21	47	-53	-58
418.0	21	46	-54	-60
428.0	22	45	-53	-61
438.0	23	44	-53	-62
448.0	23	43	-53	-63
458.0	24	43	-53	-64
468.0	25	42	-55	-67
478.0	25	41	-54	-67
488.0	25	41	-56	-70
498.0	25	40	-58	-73
508.0	25	40	-58	-73
518.0	25	39	-56	-72
528.0	25	38	-58	-73
538.0	25	38	-56	-72
548.0	25	37	-57	-73
558.0	24	37	-60	-77
568.0	24	36	-62	-79
578.0	23	36	-65	-82
588.0	24	35	-66	-84
598.0	23	35	-68	-85
608.0	23	34	-67	-84
618.0	23	34	-63	-81
628.0	23	33	-62	-81
638.0	24	33	-63	-82
648.0	24	32	-64	-84
658.0	24	32	-65	-85
668.0	25	31	-66	-87
678.0	26	31	-69	-90
688.0	27	30	-73	-95
698.0	27	30	-77	-99
708.0	27	30	-80	-103
718.0	27	30	-81	-105
728.0	27	30	-83	-107
738.0	28	30	-84	-109

Column 1F , 300 mm Above Ground Floor Slab .

Table 2.1

748.0	28	30	-85	-109
758.0	28	30	-86	-111
768.0	28	29	-87	-112
778.0	29	29	-88	-113
788.0	1	1	-89	-114
798.0	1	1	-90	-116
808.0	1	1	-91	-118

