


TIME MINS	STRAIN IN MICRO STRAIN			
	NORTH FLANGE		SOUTH FLANGE	
	85	86	87	88
0.0	-6	-6	-1	-4
1.0	-10	-11	-6	-8
2.0	-14	-14	-9	-12
3.0	-13	-13	-8	-11
4.0	-15	-16	-10	-13
5.0	-13	-14	-8	-11
6.0	-18	-19	-13	-16
7.0	-20	-21	-15	-18
8.0	-17	-17	-12	-15
9.0	-16	-17	-11	-14
10.0	-17	-18	-12	-15
11.0	-19	-19	-13	-16
12.0	-17	-18	-12	-15
13.0	-12	-14	-8	-11
14.0	-11	-12	-6	-9
15.0	-14	-15	-11	-14
16.0	-17	-17	-17	-19
17.0	-16	-16	-22	-23
18.0	-11	-11	-27	-26
19.0	-3	-3	-32	-28
20.0	7	8	-38	-33
21.0	16	17	-48	-42
22.0	31	30	-60	-53
23.0	45	43	-69	-62
24.0	55	54	-82	-69
25.0	63	61	-96	-81
26.0	71	70	-108	-91
27.0	80	77	-120	-100
28.0	95	91	-120	-100
29.0	112	106	-120	-102
30.0	124	117	-124	-110
31.0	129	118	-134	-122
32.0	140	126	-135	-125
33.0	144	127	-147	-139
34.0	148	127	-157	-150
35.0	151	125	-161	-154
36.0	162	131	-161	-154
37.0	173	136	-164	-158
38.0	176	136	-173	-168
39.0	181	137	-182	-177
40.0	188	141	-191	-187
41.0	197	147	-195	-190
42.0	212	157	-196	-194
43.0	222	162	-203	-202
44.0	229	168	-208	-208
45.0	239	177	-208	-211
46.0	245	183	-213	-218
47.0	252	189	-219	-230
48.0	259	196	-222	-236
49.0	266	202	-226	-241
50.0	271	205	-229	-242
51.0	275	208	-231	-240
52.0	272	202	-231	-236
53.0	272	200	-227	-229
54.0	263	190	-221	-221
55.0	249	175	-216	-213
56.0	237	162	-210	-205
57.0	226	150	-201	-193
58.0	215	137	-191	-179
59.0	201	123	-183	-168
60.0	183	107	-176	-155
61.0	169	94	-168	-144
62.0	161	84	-158	-135
63.0	153	75	-149	-128
64.0	143	65	-142	-123
65.0	137	55	-129	-119



Column 1E , 500 mm Above First Floor Slab .

Table 10.1

66.0	127	41	-116	-113
67.0	112	23	-102	-107
68.0	99	10	-86	-97
69.0	84	-5	-73	-91
70.0	67	-21	-63	-85
71.0	53	-36	-50	-77
72.0	42	-49	-36	-69
73.0	31	-60	-23	-60
74.0	19	-71	-11	-50
75.0	8	-81	1	-41
76.0	-2	-90	13	-31
77.0	-11	-99	25	-21
78.0	-18	-107	37	-12
79.0	-28	-117	48	-3
80.0	-40	-127	56	6
81.0	-51	-137	64	14
82.0	-60	-145	74	23
83.0	-70	-153	81	33
84.0	-82	-162	87	39
85.0	-89	-167	97	48
86.0	-97	-175	104	56
87.0	-104	-181	112	66
88.0	-110	-188	121	76
89.0	-113	-188	132	86
90.0	-118	-196	140	95
91.0	-124	-202	146	103
92.0	-129	-206	153	113
93.0	-133	-210	159	121
94.0	-137	-214	165	129
95.0	-140	-217	171	135
96.0	-141	-220	176	141
97.0	-140	-222	181	145
98.0	-143	-224	185	149
99.0	-143	-225	190	153
100.0	-144	-224	194	158
101.0	-143	-225	198	161
102.0	-143	-225	202	165
103.0	-142	-225	206	168
104.0	-141	-224	210	173
105.0	-140	-223	213	178
106.0	-140	-223	217	180
107.0	-139	-222	220	184
108.0	-139	-222	222	187
109.0	-139	-221	225	190
110.0	-137	-219	228	194
111.0	-135	-218	231	198
112.0	-135	-217	233	201
113.0	-135	-217	236	205
114.0	-135	-217	240	209
115.0	-136	-217	242	212
116.0	-135	-217	245	216
117.0	-136	-217	247	219
118.0	-136	-218	250	222
119.0	-137	-218	253	226
120.0	-138	-219	256	228
121.0	-137	-218	260	232
122.0	-139	-219	262	233
123.0	-138	-219	266	237
124.0	-138	-219	267	239
125.0	-138	-219	269	242
126.0	-138	-219	271	244
127.0	-138	-220	273	245
128.0	-138	-219	275	247
129.0	-138	-219	277	249
130.0	-138	-220	279	250
131.0	-137	-220	280	251
132.0	-137	-220	281	252
133.0	-137	-220	283	254
134.0	-136	-218	284	254
135.0	-135	-218	286	255

Column 1E , 500 mm Above First Floor Slab .

Table 10.1

136.0	-134	-217	288	256
137.0	-134	-217	289	256
138.0	-133	-216	290	256
139.0	-135	-217	292	256
140.0	-134	-215	293	256
141.0	-133	-214	294	257
142.0	-131	-213	296	257
143.0	-131	-213	297	256
144.0	-129	-211	298	257
158.0	-114	-197	314	254
168.0	-98	-182	328	251
178.0	-90	-174	331	241
188.0	-86	-169	335	230
198.0	-81	-164	335	221
208.0	-77	-159	335	213
218.0	-73	-155	336	206
228.0	-71	-155	332	194
238.0	-70	-154	329	186
248.0	-66	-150	329	180
258.0	-61	-147	330	175
268.0	-53	-139	328	171
278.0	-51	-137	329	167
288.0	-46	-132	330	164
298.0	-44	-131	328	159
308.0	-43	-130	327	155
318.0	-43	-131	326	151
328.0	-41	-129	326	148
338.0	-42	-130	325	145
348.0	-40	-129	325	143
358.0	-39	-128	327	142
368.0	-36	-126	328	141
378.0	-35	-125	328	140
388.0	-37	-127	326	136
398.0	-39	-129	324	133
408.0	-40	-131	323	130
418.0	-40	-131	322	128
428.0	-40	-131	322	127
438.0	-40	-131	322	126
448.0	-40	-132	321	124
458.0	-40	-132	321	123
468.0	-41	-133	320	121
478.0	-41	-133	320	120
488.0	-42	-135	319	118
498.0	-43	-136	318	116
508.0	-43	-136	318	114
518.0	-42	-136	319	115
528.0	-43	-137	317	113
538.0	-42	-136	318	113
548.0	-43	-136	318	112
558.0	-45	-139	315	109
568.0	-46	-140	313	107
578.0	-48	-143	310	103
588.0	-49	-144	307	100
598.0	-50	-144	305	98
608.0	-49	-144	303	98
618.0	-46	-142	305	99
628.0	-47	-143	303	98
638.0	-47	-143	301	96
648.0	-48	-144	298	94
658.0	-48	-143	294	92
668.0	-50	-144	290	90
678.0	-51	-145	285	86
688.0	-54	-147	280	82
698.0	-57	-150	275	78
708.0	-60	-152	272	75
718.0	-61	-152	269	73
728.0	-62	-153	267	71
738.0	-63	-153	265	69
748.0	-63	-153	263	68

Column 1E , 500 mm Above First Floor Slab .

Table 10.1

758.0	-64	-154	260	67
768.0	-65	-153	258	66
778.0	-65	-153	256	64
788.0	-66	-153	253	63
798.0	-67	-153	250	61
808.0	-67	-152	247	60

□
6

□