


TIME MINS	STRAIN IN MICRO STRAIN			
	NORTH FLANGE		SOUTH FLANGE	
	53	54	55	56
0.0				
0.5				
1.0				
1.5				
2.0				
2.5				
3.0				
3.5				
4.0				
4.5				
5.0				
5.5				
6.0				
6.5				
7.0	0	0	-1	0
7.5	0	1	0	0
8.0	0	0	0	1
8.5	0	0	0	0
9.0	0	1	0	0
9.5	0	1	0	0
10.0	1	1	0	1
10.5	0	1	0	1
11.0	1	1	0	1
11.5	1	1	0	1
12.0	0	0	0	1
12.5	0	1	0	0
13.0	1	0	0	1
13.5	0	0	0	0
14.0	0	0	0	0
14.5	0	0	0	0
15.0	0	0	0	0
15.5	1	1	0	1
16.0	0	0	0	0
16.5	0	0	0	0
17.0	0	0	0	0
17.5	0	0	1	1
18.0	0	-1	1	1
18.5	0	-1	2	1
19.0	0	-2	2	2
19.5	0	-2	3	2
20.0	-1	-3	5	3
20.5	-1	-3	6	4
21.0	-1	-4	7	5
21.5	-1	-5	10	6
22.0	-1	-7	11	7
22.5	-2	-8	14	8
23.0	-2	-10	16	9
23.5	-3	-12	18	11
24.0	-4	-14	21	13
24.5	-6	-16	24	14
25.0	-7	-18	27	16
25.5	-8	-20	30	17
26.0	-9	-22	32	18
26.5	-10	-25	35	19
27.0	-11	-26	38	21
27.5	-12	-29	41	22
28.0	-13	-31	44	23
28.5	-14	-33	46	25
29.0	-15	-35	49	25
29.5	-17	-37	51	26
30.0	-17	-40	54	27
30.5	-18	-42	56	27
31.0	-19	-44	58	29
31.5	-21	-46	60	30
32.0	-22	-48	62	31
32.5	-24	-50	64	32



| Not Recorded

Column 1E , 300 mm Above Ground Floor Slab .

Table 1.1

33.0	-25	-52	66	33
33.5	-27	-54	67	34
34.0	-29	-56	68	35
34.5	-30	-58	71	35
35.0	-32	-60	72	36
35.5	-33	-62	75	38
36.0	-35	-63	77	39
36.5	-35	-64	78	40
37.0	-36	-65	80	40
37.5	-37	-66	80	40
38.0	-37	-66	82	41
38.5	-38	-68	84	42
39.0	-39	-69	86	43
39.5	-40	-70	88	45
40.0	-41	-71	90	46
40.5	-42	-73	92	47
41.0	-43	-74	94	48
41.5	-45	-76	96	49
42.0	-46	-77	98	51
42.5	-47	-79	100	52
43.0	-48	-80	102	53
43.5	-49	-81	104	53
44.0	-51	-83	106	55
44.5	-53	-84	109	57
45.0	-55	-85	112	59
45.5	-56	-86	114	60
46.0	-57	-87	116	62
46.5	-58	-88	118	63
47.0	-59	-90	119	63
47.5	-60	-91	121	65
48.0	-60	-92	123	66
48.5	-61	-94	125	68
49.0	-62	-95	127	70
49.5	-63	-96	129	72
50.0	-64	-97	131	73
50.5	-65	-98	133	75
51.0	-66	-100	134	76
51.5	-67	-101	136	77
52.0	-67	-101	138	78
52.5	-68	-102	139	79
53.0	-68	-103	140	79
53.5	-68	-103	141	79
54.0	-68	-103	141	77
54.5	-67	-103	141	77
55.0	-67	-103	141	76
55.5	-67	-102	141	75
56.0	-65	-101	139	73
56.5	-65	-101	138	71
57.0	-63	-100	136	69
57.5	-62	-99	135	67
58.0	-61	-98	133	65
58.5	-60	-97	132	63
59.0	-58	-96	131	61
59.5	-57	-95	129	60
60.0	-55	-94	128	58
60.5	-53	-92	126	56
61.0	-52	-91	125	54
61.5	-50	-89	123	52
62.0	-48	-88	121	50
62.5	-46	-87	119	47
63.0	-44	-86	117	45
63.5	-43	-85	115	43
64.0	-42	-84	113	42
64.5	-42	-83	113	40
65.0	-41	-82	111	39
65.5	-40	-82	110	37
66.0	-39	-81	108	36
66.5	-38	-81	106	35
67.0	-38	-80	104	33
67.5	-38	-78	102	32

Column 1E , 300 mm Above Ground Floor Slab .

Table 1.1

68.0	-37	-77	100	31
68.5	-36	-75	97	29
69.0	-34	-73	94	27
69.5	-32	-71	92	25
70.0	-31	-69	89	23
70.5	-29	-67	87	22
71.0	-28	-65	84	20
71.5	-26	-64	82	19
72.0	-25	-62	80	17
72.5	-23	-61	77	15
73.0	-21	-59	76	14
73.5	-20	-58	73	12
74.0	-18	-56	72	11
74.5	-17	-54	69	10
75.0	-15	-53	68	8
75.5	-14	-52	66	7
76.0	-12	-50	64	6
76.5	-11	-48	63	4
77.0	-9	-47	61	3
77.5	-8	-45	59	2
78.0	-6	-44	58	1
78.5	-5	-42	56	0
79.0	-3	-41	54	-1
79.5	-2	-39	54	-2
80.0	0	-38	53	-3
80.5	1	-37	51	-4
81.0	2	-36	50	-5
81.5	4	-35	48	-6
82.0	6	-33	47	-7
82.5	7	-31	46	-8
83.0	9	-30	45	-9
83.5	10	-29	44	-10
84.0	12	-28	43	-11
84.5	14	-26	42	-12
85.0	16	-25	41	-13
85.5	17	-24	40	-14
86.0	18	-22	39	-15
86.5	20	-21	39	-16
87.0	21	-20	37	-16
87.5	23	-18	37	-17
88.0	24	-17	36	-18
88.5	26	-16	35	-19
89.0	27	-14	34	-19
89.5	29	-12	34	-20
90.0	30	-11	33	-21
90.5	31	-9	33	-21
91.0	33	-8	32	-21
91.5	34	-6	31	-22
92.0	35	-5	30	-23
92.5	37	-4	30	-23
93.0	38	-2	29	-24
93.5	39	-1	29	-24
94.0	40	0	28	-24
94.5	42	2	27	-25
95.0	43	3	27	-26
95.5	44	5	26	-26
96.0	45	6	26	-26
96.5	46	7	25	-27
97.0	47	8	25	-27
97.5	48	9	24	-27
98.0	48	10	24	-28
98.5	49	11	23	-28
99.0	49	11	23	-29
99.5	50	11	23	-29
100.0	50	12	23	-29
100.5	51	13	23	-29
101.0	51	13	22	-29
101.5	52	14	23	-30
102.0	53	14	22	-30
102.5	53	15	22	-30

Column 1E , 300 mm Above Ground Floor Slab .

Table 1.1

103.0	54	16	22	-30
103.5	55	16	22	-30
104.0	55	17	22	-31
104.5	56	18	22	-30
105.0	56	18	22	-30
105.5	57	19	22	-30
106.0	58	20	22	-30
106.5	58	21	22	-30
107.0	59	21	22	-30
107.5	60	22	22	-30
108.0	60	23	22	-30
108.5	61	24	22	-30
109.0	62	24	22	-31
109.5	62	25	22	-30
110.0	63	26	22	-31
110.5	63	26	22	-31
111.0	64	27	21	-31
111.5	64	28	22	-31
112.0	65	28	22	-31
112.5	65	28	21	-31
113.0	65	29	21	-31
113.5	66	30	20	-31
114.0	67	31	20	-31
114.5	67	31	20	-31
115.0	68	33	20	-31
115.5	68	33	20	-31
116.0	69	34	19	-32
116.5	70	35	19	-32
117.0	70	36	18	-32
117.5	70	37	18	-32
118.0	71	38	18	-32
118.5	72	38	17	-32
119.0	72	39	17	-32
119.5	73	40	16	-32
120.0	73	41	16	-32
120.5	73	42	15	-33
121.0	74	43	15	-33
121.5	74	44	14	-33
122.0	75	44	13	-34
122.5	76	45	13	-34
123.0	76	46	12	-34
123.5	77	47	12	-34
124.0	77	48	11	-34
124.5	78	49	10	-35
125.0	78	49	10	-35
125.5	79	50	10	-35
126.0	79	51	9	-35
126.5	79	52	9	-35
127.0	80	53	8	-36
127.5	80	54	8	-36
128.0	81	54	8	-36
128.5	81	55	7	-36
129.0	82	56	7	-36
129.5	82	57	7	-36
130.0	82	57	6	-36
130.5	83	58	6	-36
131.0	83	58	5	-36
131.5	84	59	5	-37
132.0	84	60	4	-37
132.5	84	61	4	-36
133.0	84	61	3	-36
133.5	85	62	3	-36
134.0	85	63	3	-36
134.5	86	63	3	-36
135.0	86	64	2	-37
135.5	86	65	2	-37
136.0	86	65	2	-37
136.5	87	66	1	-37
137.0	87	66	1	-37
137.5	87	67	0	-37

Column 1E , 300 mm Above Ground Floor Slab .

Table 1.1

138.0	87	67	0	-37
138.5	88	68	0	-37
139.0	88	69	0	-37
139.5	88	69	-1	-37
140.0	89	70	-1	-37
140.5	89	70	-2	-37
141.0	89	71	-2	-36
141.5	90	71	-2	-37
142.0	90	72	-2	-37
142.5	90	72	-3	-37
143.0	91	73	-3	-37
143.5	91	73	-3	-37
144.0	91	74	-4	-36
144.5	91	74	-4	-36
145.0	91	75	-5	-36
145.5	92	75	-5	-36
146.0	92	76	-5	-36
146.5	92	76	-6	-36
147.0	92	77	-5	-36
147.5	93	77	-6	-36
148.0	93	77	-6	-36
148.5	93	78	-6	-36
149.0	93	78	-7	-36
166.0	99	92	-16	-32
176.0	102	98	-21	-30
186.0	104	104	-25	-29
196.0	106	109	-29	-28
206.0	108	113	-33	-27
216.0	109	117	-36	-26
226.0	110	120	-40	-26
236.0	110	124	-42	-24
246.0	111	127	-43	-23
256.0	111	129	-45	-22
266.0	110	129	-46	-22
276.0	111	131	-49	-21
286.0	111	132	-50	-21
296.0	110	134	-51	-21
306.0	110	135	-53	-21
316.0	110	136	-54	-20
326.0	109	137	-55	-20
336.0	109	137	-56	-20
346.0	107	137	-58	-20
356.0	107	137	-59	-21
366.0	107	138	-60	-21
376.0	106	138	-61	-20
386.0	106	138	-62	-20
396.0	105	138	-62	-20
406.0	104	138	-63	-20
416.0	103	138	-64	-20
426.0	103	138	-64	-20
436.0	102	138	-64	-20
446.0	101	138	-65	-20
456.0	101	137	-65	-20
466.0	100	137	-65	-20
476.0	99	137	-66	-19
486.0	98	136	-66	-19
496.0	97	136	-66	-19
506.0	96	136	-66	-19
516.0	96	135	-66	-18
526.0	94	135	-67	-18
536.0	94	134	-67	-18
546.0	93	134	-67	-18
556.0	92	133	-67	-18
566.0	91	132	-68	-18
576.0	90	132	-68	-18
586.0	89	131	-68	-17
596.0	89	130	-68	-18
606.0	88	130	-69	-17
616.0	88	129	-69	-18
626.0	88	129	-69	-18

Column 1E , 300 mm Above Ground Floor Slab .

Table 1.1

636.0	89	128	-69	-19
646.0	90	128	-69	-18
656.0	88	128	-69	-18
666.0	87	128	-69	-17
676.0	86	128	-69	-17
686.0	85	127	-69	-17
696.0	85	126	-70	-17
706.0	85	126	-70	-17
716.0	84	126	-69	-17
726.0	84	126	-68	-16
736.0	84	125	-68	-16
746.0	84	124	-68	-16
756.0	84	124	-67	-16
766.0	84	123	-67	-16
776.0	84	123	-67	-16

Column 1E , 300 mm Above Ground Floor Slab .

Table 1.1

4