


TIME MINS	STRAIN IN MICRO STRAIN			
	NORTH FLANGE		SOUTH FLANGE	
	45	46	47	48
0.0				
0.5				
1.0				
1.5				
2.0				
2.5				
3.0				
3.5				
4.0				
4.5				
5.0				
5.5				
6.0				
6.5				
7.0	1	1	1	0
7.5	1	1	1	0
8.0	1	1	1	0
8.5	1	1	1	0
9.0	1	1	1	0
9.5	1	1	1	0
10.0	1	1	1	0
10.5	1	1	1	0
11.0	1	1	1	1
11.5	1	1	1	1
12.0	1	1	1	0
12.5	1	1	1	0
13.0	1	1	1	1
13.5	1	1	1	0
14.0	1	1	1	0
14.5	1	1	1	0
15.0	1	1	1	0
15.5	1	1	1	1
16.0	1	1	1	0
16.5	1	0	1	0
17.0	1	1	1	0
17.5	1	1	1	0
18.0	1	0	1	0
18.5	1	0	1	-1
19.0	0	-1	0	-2
19.5	1	-1	0	-2
20.0	0	-2	0	-3
20.5	0	-2	-1	-4
21.0	-1	-3	-2	-5
21.5	-1	-4	-2	-6
22.0	-1	-5	-3	-8
22.5	-1	-6	-3	-9
23.0	-2	-7	-3	-10
23.5	-1	-8	-4	-11
24.0	-1	-9	-4	-13
24.5	-1	-9	-4	-13
25.0	-1	-10	-4	-14
25.5	-1	-10	-4	-15
26.0	0	-10	-4	-15
26.5	0	-11	-5	-17
27.0	0	-11	-5	-18
27.5	0	-11	-5	-18
28.0	1	-12	-5	-19
28.5	1	-12	-5	-20
29.0	1	-13	-5	-21
29.5	1	-13	-5	-21
30.0	1	-13	-5	-21
30.5	2	-14	-5	-23
31.0	2	-15	-5	-23
31.5	3	-16	-5	-25
32.0	3	-17	-4	-25
32.5	3	-18	-4	-26



| Not Recorded

Column 2E , 300 mm Above Ground Floor Slab .

Table 3.1

33.0	4	-19	-4	-27
33.5	4	-20	-3	-27
34.0	4	-20	-3	-28
34.5	4	-21	-3	-28
35.0	4	-21	-3	-29
35.5	4	-22	-3	-31
36.0	4	-23	-3	-33
36.5	4	-24	-4	-34
37.0	4	-25	-4	-35
37.5	4	-25	-5	-35
38.0	4	-25	-5	-36
38.5	3	-26	-6	-37
39.0	3	-26	-6	-38
39.5	3	-27	-7	-39
40.0	3	-27	-7	-40
40.5	3	-28	-8	-41
41.0	3	-29	-8	-42
41.5	3	-29	-9	-44
42.0	2	-30	-9	-45
42.5	2	-30	-10	-46
43.0	2	-30	-10	-47
43.5	2	-31	-10	-48
44.0	2	-31	-11	-49
44.5	2	-31	-11	-50
45.0	2	-32	-11	-51
45.5	2	-32	-12	-53
46.0	2	-32	-12	-54
46.5	2	-32	-12	-54
47.0	2	-32	-12	-55
47.5	2	-32	-12	-55
48.0	1	-32	-13	-56
48.5	1	-33	-13	-57
49.0	1	-32	-13	-58
49.5	1	-32	-13	-58
50.0	1	-31	-13	-58
50.5	1	-31	-13	-59
51.0	1	-31	-13	-59
51.5	1	-30	-13	-59
52.0	0	-29	-12	-58
52.5	0	-28	-12	-58
53.0	-1	-28	-12	-58
53.5	0	-27	-11	-57
54.0	-1	-26	-10	-55
54.5	-2	-25	-10	-55
55.0	-2	-24	-9	-53
55.5	-3	-23	-9	-51
56.0	-3	-23	-9	-50
56.5	-4	-22	-8	-49
57.0	-5	-22	-7	-47
57.5	-6	-22	-7	-45
58.0	-7	-21	-7	-44
58.5	-8	-22	-7	-43
59.0	-9	-22	-7	-42
59.5	-10	-22	-7	-41
60.0	-11	-22	-7	-41
60.5	-11	-21	-7	-39
61.0	-12	-21	-7	-38
61.5	-13	-21	-7	-37
62.0	-14	-21	-6	-35
62.5	-14	-21	-6	-34
63.0	-15	-21	-6	-33
63.5	-16	-21	-6	-32
64.0	-17	-21	-6	-31
64.5	-18	-21	-6	-30
65.0	-19	-20	-6	-29
65.5	-20	-19	-6	-28
66.0	-20	-19	-7	-27
66.5	-21	-18	-7	-25
67.0	-21	-17	-7	-24
67.5	-21	-16	-8	-24

Column 2E , 300 mm Above Ground Floor Slab .

Table 3.1

68.0	-22	-15	-9	-22
68.5	-23	-14	-9	-21
69.0	-23	-13	-9	-19
69.5	-24	-12	-9	-17
70.0	-24	-11	-9	-16
70.5	-25	-10	-10	-15
71.0	-26	-10	-10	-14
71.5	-26	-9	-10	-12
72.0	-27	-8	-11	-11
72.5	-28	-7	-11	-10
73.0	-29	-7	-11	-9
73.5	-30	-7	-12	-8
74.0	-30	-6	-13	-7
74.5	-30	-5	-13	-6
75.0	-31	-4	-14	-5
75.5	-31	-3	-15	-3
76.0	-32	-3	-16	-3
76.5	-32	-2	-16	-2
77.0	-32	-1	-17	-1
77.5	-33	0	-18	0
78.0	-33	0	-19	1
78.5	-34	1	-20	1
79.0	-35	1	-21	2
79.5	-35	1	-22	2
80.0	-36	2	-23	3
80.5	-37	2	-24	3
81.0	-38	2	-25	3
81.5	-39	2	-26	4
82.0	-41	2	-27	5
82.5	-42	2	-27	5
83.0	-44	2	-28	6
83.5	-45	2	-30	7
84.0	-47	2	-31	7
84.5	-48	3	-32	8
85.0	-50	3	-33	8
85.5	-51	3	-35	9
86.0	-52	3	-36	10
86.5	-53	3	-37	10
87.0	-54	2	-38	10
87.5	-55	2	-39	10
88.0	-56	1	-40	9
88.5	-56	0	-40	8
89.0	-56	-1	-40	7
89.5	-56	-2	-40	6
90.0	-56	-4	-40	5
90.5	-56	-5	-40	3
91.0	-56	-7	-40	1
91.5	-55	-8	-40	0
92.0	-55	-10	-39	-2
92.5	-54	-12	-39	-4
93.0	-54	-13	-39	-6
93.5	-53	-14	-39	-8
94.0	-53	-16	-39	-9
94.5	-52	-17	-38	-11
95.0	-51	-18	-38	-13
95.5	-50	-20	-38	-14
96.0	-50	-21	-38	-16
96.5	-49	-22	-38	-17
97.0	-49	-23	-38	-19
97.5	-48	-24	-38	-20
98.0	-48	-25	-38	-22
98.5	-47	-26	-38	-23
99.0	-46	-27	-38	-24
99.5	-46	-27	-38	-26
100.0	-45	-28	-38	-27
100.5	-45	-28	-38	-27
101.0	-44	-29	-38	-28
101.5	-44	-30	-37	-30
102.0	-44	-30	-37	-30
102.5	-43	-31	-37	-31

Column 2E , 300 mm Above Ground Floor Slab .

Table 3.1

103.0	-43	-32	-37	-32
103.5	-43	-32	-36	-33
104.0	-43	-33	-36	-34
104.5	-43	-34	-36	-35
105.0	-43	-34	-36	-35
105.5	-44	-35	-36	-36
106.0	-44	-36	-37	-37
106.5	-44	-36	-37	-37
107.0	-44	-37	-37	-38
107.5	-44	-37	-38	-38
108.0	-44	-37	-38	-39
108.5	-44	-37	-39	-39
109.0	-45	-37	-39	-40
109.5	-45	-37	-40	-40
110.0	-45	-37	-40	-40
110.5	-45	-37	-41	-41
111.0	-45	-37	-41	-41
111.5	-45	-37	-42	-41
112.0	-46	-36	-42	-41
112.5	-46	-37	-43	-41
113.0	-46	-36	-43	-41
113.5	-46	-36	-44	-42
114.0	-46	-36	-44	-42
114.5	-46	-36	-45	-42
115.0	-47	-36	-45	-42
115.5	-47	-35	-46	-42
116.0	-47	-35	-46	-42
116.5	-48	-35	-47	-42
117.0	-48	-35	-47	-43
117.5	-48	-35	-48	-43
118.0	-48	-35	-49	-43
118.5	-48	-35	-49	-43
119.0	-48	-35	-50	-43
119.5	-48	-35	-50	-43
120.0	-49	-34	-51	-44
120.5	-49	-34	-51	-44
121.0	-49	-34	-52	-44
121.5	-49	-34	-52	-44
122.0	-49	-34	-53	-44
122.5	-49	-34	-53	-44
123.0	-49	-33	-53	-44
123.5	-49	-33	-54	-44
124.0	-49	-33	-54	-44
124.5	-49	-33	-55	-44
125.0	-49	-33	-55	-45
125.5	-49	-33	-55	-45
126.0	-49	-33	-55	-45
126.5	-49	-33	-56	-45
127.0	-49	-33	-56	-45
127.5	-49	-32	-56	-45
128.0	-49	-32	-57	-45
128.5	-49	-32	-57	-45
129.0	-49	-32	-57	-45
129.5	-49	-32	-58	-45
130.0	-49	-32	-58	-45
130.5	-49	-32	-58	-45
131.0	-49	-32	-58	-46
131.5	-49	-32	-58	-45
132.0	-49	-32	-59	-46
132.5	-49	-32	-60	-47
133.0	-49	-31	-60	-47
133.5	-49	-31	-60	-47
134.0	-49	-31	-60	-47
134.5	-48	-31	-60	-47
135.0	-48	-31	-61	-47
135.5	-48	-31	-61	-48
136.0	-48	-31	-61	-48
136.5	-48	-31	-61	-48
137.0	-48	-31	-61	-48
137.5	-48	-31	-61	-48

Column 2E , 300 mm Above Ground Floor Slab .

Table 3.1

138.0	-47	-31	-61	-49
138.5	-47	-31	-61	-49
139.0	-47	-31	-61	-49
139.5	-47	-31	-62	-49
140.0	-47	-31	-62	-49
140.5	-47	-31	-62	-50
141.0	-46	-31	-62	-50
141.5	-46	-31	-62	-49
142.0	-46	-31	-62	-50
142.5	-46	-31	-62	-50
143.0	-46	-31	-62	-50
143.5	-46	-30	-62	-50
144.0	-46	-31	-62	-50
144.5	-45	-30	-62	-50
145.0	-45	-31	-62	-51
145.5	-45	-30	-62	-51
146.0	-45	-30	-62	-51
146.5	-45	-30	-62	-51
147.0	-45	-30	-63	-51
147.5	-44	-30	-63	-51
148.0	-44	-30	-63	-51
148.5	-44	-30	-63	-51
149.0	-44	-30	-63	-52
166.0	-40	-26	-63	-53
176.0	-38	-24	-62	-53
186.0	-37	-21	-60	-51
196.0	-35	-18	-58	-49
206.0	-34	-16	-57	-46
216.0	-33	-13	-55	-44
226.0	-31	-11	-52	-42
236.0	-29	-9	-51	-40
246.0	-27	-6	-49	-39
256.0	-25	-3	-47	-37
266.0	-23	-1	-47	-38
276.0	-21	1	-45	-36
286.0	-19	3	-43	-35
296.0	-17	5	-42	-34
306.0	-14	6	-40	-33
316.0	-12	8	-38	-32
326.0	-11	10	-36	-31
336.0	-9	11	-35	-29
346.0	-7	13	-33	-28
356.0	-6	14	-31	-27
366.0	-4	15	-30	-26
376.0	-3	16	-28	-25
386.0	-1	18	-27	-24
396.0	1	19	-25	-22
406.0	1	20	-23	-21
416.0	3	21	-22	-20
426.0	4	22	-20	-19
436.0	5	24	-19	-17
446.0	7	25	-17	-16
456.0	8	26	-16	-15
466.0	9	27	-14	-14
476.0	10	28	-13	-12
486.0	11	29	-12	-11
496.0	12	30	-10	-10
506.0	12	31	-9	-9
516.0	13	31	-8	-8
526.0	14	33	-7	-7
536.0	15	33	-6	-6
546.0	15	34	-5	-5
556.0	16	35	-4	-4
566.0	16	36	-4	-3
576.0	17	36	-3	-2
586.0	17	36	-2	-2
596.0	17	37	-2	-1
606.0	18	38	-1	-1
616.0	19	38	0	0
626.0	20	39	1	1

Column 2E , 300 mm Above Ground Floor Slab .

Table 3.1

636.0	21	39	2	1
646.0	22	40	3	2
656.0	23	41	4	3
666.0	23	42	5	4
676.0	24	42	6	5
686.0	25	43	7	5
696.0	26	43	7	6
706.0	27	44	9	6
716.0	28	45	9	7
726.0	30	45	11	8
736.0	30	46	11	8
746.0	31	47	12	9
756.0	33	47	13	9
766.0	34	47	14	10
776.0	34	48	15	10

□
6

□