


TIME MINS	STRAIN IN MICRO STRAIN			
	NORTH FLANGE		SOUTH FLANGE	
	37	38	39	40
0.0				
0.5				
1.0				
1.5				
2.0				
2.5				
3.0				
3.5				
4.0				
4.5				
5.0				
5.5				
6.0				
6.5				
7.0	1	0	1	0
7.5	1	0	1	0
8.0	1	0	1	0
8.5	1	0	1	0
9.0	1	0	1	0
9.5	1	0	1	0
10.0	1	0	1	0
10.5	1	0	1	0
11.0	1	1	1	0
11.5	1	1	1	0
12.0	1	0	1	0
12.5	1	0	1	0
13.0	1	0	1	0
13.5	1	0	1	1
14.0	1	0	1	0
14.5	1	0	1	0
15.0	1	0	1	0
15.5	1	0	1	0
16.0	1	0	1	0
16.5	1	0	1	0
17.0	1	-1	1	0
17.5	0	-1	1	0
18.0	0	-2	1	0
18.5	-1	-3	2	0
19.0	-2	-6	3	-1
19.5	-3	-8	5	-2
20.0	-3	-11	7	-2
20.5	-2	-14	10	-3
21.0	-2	-18	13	-4
21.5	-2	-21	16	-6
22.0	-1	-25	20	-7
22.5	1	-30	25	-9
23.0	1	-35	29	-11
23.5	2	-40	35	-14
24.0	3	-45	41	-16
24.5	4	-51	48	-19
25.0	5	-56	53	-21
25.5	6	-61	58	-23
26.0	7	-65	62	-25
26.5	8	-71	67	-27
27.0	10	-75	72	-29
27.5	11	-80	77	-31
28.0	11	-84	81	-32
28.5	12	-87	84	-34
29.0	13	-90	87	-35
29.5	14	-93	89	-37
30.0	15	-95	91	-38
30.5	16	-97	93	-39
31.0	18	-100	97	-41
31.5	19	-103	100	-43
32.0	21	-106	103	-44
32.5	22	-109	107	-46



| Not Recorded

Column 2/3-E/F , 500 mm Above First Floor Slab .

Table 14.1

33.0	24	-112	109	-48
33.5	24	-114	112	-49
34.0	25	-117	114	-50
34.5	27	-119	118	-52
35.0	28	-123	121	-54
35.5	30	-126	125	-55
36.0	32	-129	128	-56
36.5	32	-131	129	-57
37.0	33	-132	131	-58
37.5	33	-133	131	-59
38.0	34	-134	133	-60
38.5	35	-136	135	-60
39.0	36	-138	137	-61
39.5	37	-140	139	-62
40.0	38	-142	140	-62
40.5	39	-143	142	-63
41.0	40	-145	144	-64
41.5	42	-147	146	-65
42.0	42	-148	147	-65
42.5	43	-150	149	-66
43.0	44	-151	151	-66
43.5	45	-153	152	-67
44.0	46	-155	154	-67
44.5	47	-158	157	-68
45.0	47	-160	160	-69
45.5	48	-162	162	-70
46.0	49	-164	163	-70
46.5	49	-165	165	-71
47.0	50	-167	166	-71
47.5	50	-168	166	-72
48.0	50	-169	167	-72
48.5	50	-170	168	-72
49.0	50	-172	170	-73
49.5	51	-173	171	-73
50.0	50	-174	172	-73
50.5	50	-176	173	-72
51.0	48	-178	174	-71
51.5	47	-179	175	-70
52.0	46	-180	175	-69
52.5	45	-182	175	-68
53.0	43	-183	175	-67
53.5	42	-183	174	-66
54.0	41	-183	173	-63
54.5	41	-183	172	-62
55.0	40	-183	171	-60
55.5	40	-181	169	-59
56.0	40	-180	167	-58
56.5	40	-178	165	-56
57.0	41	-175	163	-56
57.5	41	-172	162	-55
58.0	42	-170	160	-55
58.5	42	-168	159	-54
59.0	42	-167	158	-53
59.5	42	-166	157	-52
60.0	42	-165	156	-51
60.5	42	-164	156	-51
61.0	41	-163	155	-50
61.5	41	-162	154	-49
62.0	41	-160	153	-48
62.5	41	-158	151	-47
63.0	41	-156	150	-47
63.5	41	-154	149	-45
64.0	41	-150	146	-44
64.5	42	-146	144	-43
65.0	43	-141	141	-43
65.5	45	-137	139	-42
66.0	47	-134	138	-41
66.5	48	-129	136	-40
67.0	50	-125	134	-40
67.5	51	-120	132	-39

Column 2/3-E/F , 500 mm Above First Floor Slab .

Table 14.1

68.0	51	-117	129	-39
68.5	51	-115	129	-38
69.0	50	-115	127	-39
69.5	50	-114	128	-39
70.0	50	-112	125	-40
70.5	51	-111	124	-40
71.0	51	-109	123	-40
71.5	52	-106	122	-40
72.0	52	-105	122	-40
72.5	53	-103	121	-41
73.0	54	-101	121	-41
73.5	55	-99	120	-41
74.0	57	-97	119	-41
74.5	58	-95	118	-42
75.0	59	-94	117	-42
75.5	61	-92	117	-42
76.0	62	-91	115	-42
76.5	64	-89	115	-43
77.0	65	-87	114	-43
77.5	67	-86	113	-44
78.0	68	-85	112	-44
78.5	69	-83	112	-44
79.0	71	-82	111	-45
79.5	72	-81	110	-45
80.0	73	-79	110	-45
80.5	74	-78	110	-45
81.0	76	-77	109	-46
81.5	77	-76	109	-46
82.0	78	-75	109	-46
82.5	80	-74	109	-46
83.0	81	-73	108	-47
83.5	82	-72	108	-47
84.0	83	-71	107	-47
84.5	84	-70	106	-48
85.0	85	-69	106	-47
85.5	86	-68	105	-48
86.0	87	-67	104	-47
86.5	88	-66	104	-48
87.0	90	-65	104	-48
87.5	91	-64	103	-48
88.0	91	-63	103	-48
88.5	92	-62	102	-48
89.0	93	-61	101	-48
89.5	94	-60	101	-48
90.0	95	-59	101	-48
90.5	96	-58	100	-48
91.0	97	-58	100	-48
91.5	98	-56	99	-48
92.0	99	-55	99	-48
92.5	100	-54	99	-48
93.0	101	-53	99	-48
93.5	102	-52	98	-48
94.0	102	-51	97	-49
94.5	103	-50	97	-48
95.0	104	-49	97	-48
95.5	105	-48	96	-49
96.0	105	-46	96	-49
96.5	106	-45	95	-49
97.0	107	-44	94	-49
97.5	108	-43	94	-50
98.0	108	-42	94	-50
98.5	109	-41	93	-51
99.0	110	-40	93	-51
99.5	110	-39	92	-51
100.0	111	-39	91	-51
100.5	111	-38	91	-52
101.0	111	-37	89	-52
101.5	112	-36	89	-53
102.0	112	-35	87	-54
102.5	113	-35	87	-55

Column 2/3-E/F , 500 mm Above First Floor Slab .

Table 14.1

103.0	113	-34	85	-55
103.5	113	-33	84	-56
104.0	114	-33	84	-57
104.5	114	-32	83	-58
105.0	115	-31	82	-58
105.5	114	-31	82	-59
106.0	110	-28	82	-59
106.5	111	-27	81	-59
107.0	111	-26	81	-60
107.5	111	-25	80	-60
108.0	112	-24	80	-60
108.5	112	-23	79	-61
109.0	112	-22	79	-61
109.5	113	-21	78	-62
110.0	113	-20	78	-62
110.5	113	-19	77	-63
111.0	114	-18	77	-63
111.5	114	-17	76	-63
112.0	114	-16	76	-63
112.5	114	-15	75	-63
113.0	115	-14	75	-63
113.5	115	-13	74	-63
114.0	115	-12	74	-63
114.5	116	-11	74	-63
115.0	116	-11	74	-63
115.5	116	-10	74	-63
116.0	116	-9	73	-63
116.5	116	-8	73	-62
117.0	117	-7	73	-62
117.5	117	-6	72	-62
118.0	117	-5	72	-62
118.5	118	-4	72	-62
119.0	118	-2	71	-62
119.5	118	-1	71	-62
120.0	119	1	70	-61
120.5	119	2	70	-60
121.0	119	3	69	-60
121.5	119	4	68	-60
122.0	120	5	68	-59
122.5	120	6	67	-59
123.0	120	7	66	-59
123.5	120	8	66	-58
124.0	120	9	66	-58
124.5	120	10	65	-58
125.0	120	11	64	-58
125.5	120	12	64	-57
126.0	120	13	63	-57
126.5	120	14	63	-57
127.0	121	15	62	-56
127.5	121	16	62	-56
128.0	120	17	61	-56
128.5	121	18	61	-56
129.0	121	18	60	-56
129.5	121	19	60	-56
130.0	121	20	59	-56
130.5	121	21	59	-55
131.0	121	22	58	-55
131.5	121	23	58	-55
132.0	121	24	57	-55
132.5	120	27	54	-53
133.0	120	28	53	-53
133.5	120	29	53	-53
134.0	120	30	52	-53
134.5	120	31	51	-52
135.0	120	32	51	-52
135.5	120	33	51	-53
136.0	121	33	50	-53
136.5	121	34	50	-52
137.0	121	35	50	-52
137.5	121	36	49	-52

Column 2/3-E/F , 500 mm Above First Floor Slab .

Table 14.1

138.0	121	37	48	-52
138.5	121	38	48	-52
139.0	121	38	48	-52
139.5	121	39	47	-52
140.0	121	40	47	-52
140.5	121	41	46	-52
141.0	121	41	46	-52
141.5	121	42	45	-52
142.0	121	43	45	-52
142.5	121	44	45	-52
143.0	121	44	44	-52
143.5	121	45	44	-52
144.0	121	46	43	-51
144.5	121	46	43	-51
145.0	121	47	42	-51
145.5	121	48	42	-51
146.0	121	48	42	-51
146.5	121	49	41	-51
147.0	121	50	41	-51
147.5	121	50	40	-51
148.0	122	51	40	-51
148.5	122	51	40	-51
149.0	122	52	39	-51
166.0	122	70	26	-48
176.0	122	77	20	-48
186.0	121	83	16	-49
196.0	119	89	10	-47
206.0	117	93	5	-46
216.0	114	97	0	-44
226.0	111	100	-4	-43
236.0	109	102	-9	-42
246.0	107	104	-13	-42
256.0	104	106	-16	-42
266.0	101	107	-21	-42
276.0	99	108	-25	-42
286.0	97	109	-29	-41
296.0	95	109	-31	-42
306.0	93	109	-33	-43
316.0	92	109	-35	-43
326.0	90	109	-37	-43
336.0	88	109	-39	-43
346.0	86	108	-41	-43
356.0	84	108	-43	-43
366.0	83	107	-44	-43
376.0	81	106	-46	-43
386.0	79	106	-48	-42
396.0	78	104	-48	-42
406.0	76	104	-49	-42
416.0	75	103	-50	-42
426.0	74	103	-50	-42
436.0	73	102	-51	-41
446.0	71	101	-52	-41
456.0	70	101	-52	-40
466.0	69	100	-52	-40
476.0	68	100	-53	-40
486.0	67	99	-53	-40
496.0	66	98	-53	-39
506.0	65	97	-53	-39
516.0	64	97	-54	-39
526.0	63	96	-54	-38
536.0	62	95	-54	-38
546.0	61	94	-54	-38
556.0	60	93	-54	-37
566.0	59	93	-54	-37
576.0	58	92	-54	-37
586.0	57	91	-54	-36
596.0	56	90	-53	-36
606.0	55	89	-53	-36
616.0	54	89	-52	-36
626.0	53	88	-51	-35

Column 2/3-E/F , 500 mm Above First Floor Slab .

Table 14.1

636.0	53	88	-51	-35
646.0	52	88	-51	-34
656.0	51	87	-50	-33
666.0	51	86	-50	-32
676.0	50	86	-49	-31
686.0	50	85	-49	-31
696.0	49	85	-49	-30
706.0	49	85	-48	-29
716.0	48	84	-48	-29
726.0	48	83	-47	-28
736.0	47	82	-47	-27
746.0	46	82	-47	-27
756.0	46	82	-46	-26
766.0	45	81	-46	-26
776.0	44	81	-46	-25

**Column 2/3-E/F , 500 mm Above First Floor Slab .**

**Table 14.1**

3