


TIME MINS	STRAIN IN MICRO STRAIN			
	NORTH FLANGE		SOUTH FLANGE	
	29	30	31	32
0.0				
0.5				
1.0				
1.5				
2.0				
2.5				
3.0				
3.5				
4.0				
4.5				
5.0				
5.5				
6.0				
6.5				
7.0	0	1	0	0
7.5	1	0	1	0
8.0	1	1	1	0
8.5	1	1	1	0
9.0	1	1	1	0
9.5	1	1	1	0
10.0	1	0	1	0
10.5	1	1	1	0
11.0	1	1	1	0
11.5	1	1	0	0
12.0	1	0	-1	0
12.5	1	1	-1	0
13.0	1	1	-1	0
13.5	1	1	-2	0
14.0	0	1	0	1
14.5	1	0	-1	0
15.0	1	1	0	0
15.5	1	1	-1	0
16.0	1	1	0	1
16.5	0	0	-1	1
17.0	0	0	-2	1
17.5	0	1	-1	1
18.0	0	1	-3	1
18.5	0	1	-2	2
19.0	0	1	0	2
19.5	-1	2	-2	3
20.0	-1	2	-2	3
20.5	-1	2	-2	4
21.0	-2	3	-1	5
21.5	-2	4	-2	6
22.0	-3	4	-6	7
22.5	-4	5	-5	9
23.0	-5	6	-6	10
23.5	-6	7	-9	11
24.0	-6	7	-10	13
24.5	-8	9	-11	15
25.0	-9	9	-14	16
25.5	-10	10	-15	18
26.0	-11	11	-17	20
26.5	-12	12	-21	21
27.0	-13	13	-20	23
27.5	-14	14	-20	24
28.0	-15	14	-25	26
28.5	-16	15	-25	27
29.0	-17	16	-26	29
29.5	-18	17	-24	30
30.0	-19	17	-26	31
30.5	-20	18	-26	32
31.0	-20	18	-27	34
31.5	-21	19	-29	35
32.0	-22	20	-30	36
32.5	-22	20	-31	37



| Not Recorded

Column 1D , 500 mm Above First Floor Slab .

Table 9.1

33.0	-23	20	-32	39
33.5	-24	21	-31	39
34.0	-25	21	-33	40
34.5	-25	22	-34	42
35.0	-26	22	-35	42
35.5	-26	23	-35	44
36.0	-27	24	-36	45
36.5	-28	25	-38	46
37.0	-28	25	-37	47
37.5	-29	25	-40	48
38.0	-29	26	-40	49
38.5	-30	27	-44	50
39.0	-30	27	-41	51
39.5	-31	28	-43	52
40.0	-32	28	-43	53
40.5	-32	29	-47	54
41.0	-33	30	-47	55
41.5	-34	30	-44	56
42.0	-34	30	-47	56
42.5	-34	31	-48	57
43.0	-35	32	-50	58
43.5	-35	32	-51	59
44.0	-36	33	-47	60
44.5	-36	33	-48	61
45.0	-37	34	-52	62
45.5	-37	34	-49	63
46.0	-38	35	-52	63
46.5	-38	35	-53	64
47.0	-39	35	-54	65
47.5	-40	36	-52	66
48.0	-40	36	-51	66
48.5	-41	36	-55	66
49.0	-41	37	-56	67
49.5	-41	37	-51	68
50.0	-42	37	-51	68
50.5	-42	37	-54	69
51.0	-43	37	-55	69
51.5	-43	37	-54	69
52.0	-43	37	-54	70
52.5	-44	37	-54	70
53.0	-44	37	-55	70
53.5	-45	38	-54	70
54.0	-45	38	-55	70
54.5	-45	38	-57	70
55.0	-46	38	-52	70
55.5	-46	38	-57	70
56.0	-46	38	-53	70
56.5	-46	38	-53	70
57.0	-46	38	-53	70
57.5	-46	38	-53	70
58.0	-46	39	-52	71
58.5	-46	39	-55	71
59.0	-46	39	-55	71
59.5	-47	39	-56	71
60.0	-47	39	-57	70
60.5	-46	39	-54	70
61.0	-46	40	-52	70
61.5	-46	40	-54	70
62.0	-46	40	-51	70
62.5	-46	40	-55	70
63.0	-46	40	-50	70
63.5	-46	40	-50	69
64.0	-45	40	-50	69
64.5	-45	40	-49	69
65.0	-45	40	-49	69
65.5	-45	40	-48	69
66.0	-45	40	-49	68
66.5	-45	40	-48	69
67.0	-44	40	-48	67
67.5	-43	40	-46	67

Column 1D , 500 mm Above First Floor Slab .

Table 9.1

68.0	-42	39	-45	66
68.5	-41	39	-45	65
69.0	-41	39	-45	64
69.5	-40	39	-44	64
70.0	-39	39	-43	63
70.5	-39	39	-44	62
71.0	-38	39	-44	62
71.5	-38	39	-43	62
72.0	-38	39	-43	61
72.5	-37	40	-43	60
73.0	-37	40	-43	61
73.5	-37	40	-43	60
74.0	-36	40	-43	60
74.5	-36	40	-44	60
75.0	-35	40	-44	60
75.5	-35	41	-44	59
76.0	-34	41	-45	59
76.5	-34	41	-44	58
77.0	-33	41	-44	58
77.5	-33	42	-45	58
78.0	-33	42	-45	58
78.5	-32	42	-45	58
79.0	-32	42	-45	57
79.5	-32	42	-45	57
80.0	-31	43	-45	57
80.5	-31	43	-45	57
81.0	-31	43	-46	56
81.5	-31	43	-46	56
82.0	-31	43	-46	56
82.5	-30	44	-46	56
83.0	-30	44	-46	56
83.5	-30	44	-46	55
84.0	-30	44	-46	55
84.5	-29	45	-47	55
85.0	-30	45	-47	56
85.5	-29	45	-48	55
86.0	-29	45	-47	55
86.5	-29	45	-47	55
87.0	-29	46	-48	55
87.5	-29	46	-48	55
88.0	-29	46	-49	55
88.5	-28	46	-49	55
89.0	-28	46	-50	54
89.5	-28	46	-50	54
90.0	-28	46	-49	54
90.5	-28	46	-50	54
91.0	-28	47	-50	54
91.5	-27	47	-51	54
92.0	-27	47	-52	53
92.5	-27	47	-51	54
93.0	-27	47	-52	53
93.5	-27	47	-51	53
94.0	-27	47	-52	53
94.5	-26	47	-51	53
95.0	-26	47	-51	53
95.5	-26	48	-54	52
96.0	-26	48	-55	52
96.5	-26	47	-54	52
97.0	-25	48	-52	52
97.5	-25	48	-52	52
98.0	-25	48	-52	52
98.5	-25	48	-53	51
99.0	-26	48	-53	52
99.5	-26	48	-53	52
100.0	-26	48	-52	52
100.5	-26	48	-53	52
101.0	-26	48	-54	52
101.5	-26	49	-54	53
102.0	-26	49	-55	53
102.5	-27	49	-55	53

Column 1D , 500 mm Above First Floor Slab .

Table 9.1

103.0	-27	49	-55	53
103.5	-27	49	-56	53
104.0	-27	49	-56	54
104.5	-27	49	-56	54
105.0	-27	49	-56	54
105.5	-27	49	-57	54
106.0	-27	49	-57	54
106.5	-27	50	-57	54
107.0	-27	50	-57	55
107.5	-27	50	-57	55
108.0	-27	50	-57	55
108.5	-27	50	-57	55
109.0	-27	49	-58	55
109.5	-27	49	-58	54
110.0	-27	49	-58	54
110.5	-27	49	-58	54
111.0	-27	49	-58	54
111.5	-27	49	-57	54
112.0	-27	49	-58	54
112.5	-27	49	-58	54
113.0	-26	49	-58	54
113.5	-26	49	-58	53
114.0	-26	49	-57	53
114.5	-26	48	-58	53
115.0	-26	48	-57	52
115.5	-26	48	-57	52
116.0	-26	48	-57	52
116.5	-25	48	-57	52
117.0	-25	47	-57	51
117.5	-25	48	-57	51
118.0	-25	47	-57	50
118.5	-24	47	-56	50
119.0	-24	47	-56	50
119.5	-24	47	-56	49
120.0	-23	46	-56	49
120.5	-23	46	-56	48
121.0	-23	46	-56	48
121.5	-23	46	-56	47
122.0	-22	45	-56	47
122.5	-22	45	-55	46
123.0	-22	45	-60	46
123.5	-21	45	-61	45
124.0	-21	45	-54	45
124.5	-21	44	-54	44
125.0	-21	44	-54	44
125.5	-20	44	-53	44
126.0	-20	43	-54	43
126.5	-20	43	-53	43
127.0	-19	43	-53	42
127.5	-19	43	-52	42
128.0	-19	43	-52	42
128.5	-19	42	-52	41
129.0	-19	42	-53	41
129.5	-18	42	-52	40
130.0	-18	42	-52	40
130.5	-18	41	-52	40
131.0	-18	41	-53	39
131.5	-17	41	-52	39
132.0	-17	41	-52	38
132.5	-16	40	-51	38
133.0	-16	40	-52	37
133.5	-16	40	-51	37
134.0	-15	40	-51	36
134.5	-15	39	-51	36
135.0	-15	39	-51	36
135.5	-15	39	-51	35
136.0	-15	39	-51	35
136.5	-14	38	-51	34
137.0	-14	38	-50	34
137.5	-14	38	-47	34

Column 1D , 500 mm Above First Floor Slab .

Table 9.1

138.0	-14	38	-47	33
138.5	-13	38	-47	33
139.0	-13	38	-47	33
139.5	-13	37	-47	32
140.0	-13	37	-46	32
140.5	-13	37	-46	31
141.0	-12	37	-46	31
141.5	-12	37	-46	31
142.0	-12	36	-46	31
142.5	-12	36	-45	31
143.0	-11	36	-45	30
143.5	-11	35	-45	30
144.0	-11	35	-47	29
144.5	-11	35	-45	29
145.0	-11	35	-45	29
145.5	-10	35	-44	29
146.0	-10	35	-43	28
146.5	-10	34	-44	28
147.0	-10	34	-43	28
147.5	-10	34	-46	27
148.0	-10	34	-47	27
148.5	-9	34	-47	27
149.0	-9	33	-44	26
166.0	-2	26	-39	17
176.0	1	23	-38	12
186.0	4	19	-35	8
196.0	7	16	-32	3
206.0	9	13	-30	-1
216.0	12	11	-29	-5
226.0	14	8	-28	-8
236.0	16	6	-26	-11
246.0	18	5	-25	-13
256.0	19	3	-25	-15
266.0	20	2	-25	-17
276.0	21	0	-25	-19
286.0	22	-1	-23	-21
296.0	23	-2	-23	-22
306.0	24	-2	-23	-23
316.0	24	-3	-22	-25
326.0	25	-4	-22	-26
336.0	26	-5	-23	-27
346.0	26	-6	-23	-28
356.0	26	-6	-22	-29
366.0	27	-7	-22	-30
376.0	27	-8	-22	-31
386.0	28	-8	-22	-32
396.0	28	-9	-22	-32
406.0	28	-9	-22	-33
416.0	29	-9	-22	-34
426.0	29	-9	-21	-34
436.0	29	-10	-21	-35
446.0	30	-10	-21	-35
456.0	30	-10	-20	-36
466.0	30	-11	-20	-36
476.0	30	-11	-21	-36
486.0	30	-11	-21	-36
496.0	31	-11	-21	-36
506.0	31	-11	-21	-36
516.0	31	-11	-20	-36
526.0	31	-11	-20	-37
536.0	31	-11	-20	-37
546.0	31	-12	-21	-37
556.0	31	-12	-21	-37
566.0	31	-12	-22	-38
576.0	31	-12	-22	-39
586.0	32	-12	-23	-40
596.0	32	-13	-22	-41
606.0	32	-13	-23	-42
616.0	32	-13	-22	-43
626.0	33	-13	-21	-44

Column 1D , 500 mm Above First Floor Slab .

Table 9.1

636.0	33	-14	-22	-45
646.0	33	-13	-21	-46
656.0	34	-13	-21	-47
666.0	34	-13	-21	-48
676.0	34	-13	-20	-48
686.0	35	-12	-20	-49
696.0	35	-12	-20	-50
706.0	36	-11	-19	-49
716.0	36	-11	-18	-49
726.0	36	-11	-19	-48
736.0	36	-11	-19	-48
746.0	36	-11	-20	-49
756.0	36	-10	-17	-48
766.0	36	-10	-17	-48
776.0	37	-10	-17	-49

Column 1D , 500 mm Above First Floor Slab .

Table 9.1

